

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
(S198)	18	(programmable adj logic) with (buffer memory) and (@pd> "20050413" and @ad< "20020207") and @pd> "20071123"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2008/09/29 18:07
S197	335	(programmable adj logic) with (buffer memory) and (@pd> "20050413" and @ad< "20020207")	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2008/09/29 18:07
(S196)	13	(CPU processor) with (removable near4 (card)) and (@ad< "20020207" or @rlad< "20020207") and @pd> "20071123"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2008/09/29 18:07
(S200)	1	Virtual adj Socket adj Interface adj Alliance and (@ad< "20020207" or @rlad< "20020207") and @pd> "20071123"	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2008/09/29 18:08
(S199)	19	(US-20020016706-\$ or US-20020129181-\$ or US-20020144045-\$ or US-20030028408-\$).did. or (US-4268908-\$ or US-4450557-\$ or US-4552426-\$ or US-5379382-\$ or US-5509123-\$ or US-5537295-\$ or US-5633934-\$ or US-5649224-\$ or US-5671355-\$ or US-5819042-\$ or US-5838907-\$ or US-6009274-\$ or US-6085317-\$ or US-6138183-\$ or US-6219785-\$ or US-6269467-\$ or US-6505338-\$ or US-6539510-\$ or US-6687710-\$ or US-6747689-\$ or US-6816938-\$ or US-5521833-\$ or US-5535368-\$ or US-5918194-\$).did.	US-PGPUB; USPAT	OR	ON	2008/09/29 18:08
(S203)	25	S202 and (flash fpga)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2008/09/29 18:09

S202	52	(US-20020056143-\$ or US-20020013833-\$ or US-20060069760-\$ or US-20060177226-\$ or US-20020144045-\$ or US-20030028408-\$ or US-20020016706-\$ or US-20020129181-\$).did. or (US-5819042-\$ or US-5379382-\$ or US-6457125-\$ or US-6151679-\$ or US-5655148-\$ or US-6096091-\$ or US-6854009-\$ or US-6094679-\$ or US-6965929-\$ or US-6965928-\$ or US-6961762-\$ or US-6931440-\$ or US-6901580-\$ or US-7051087-\$ or US-7039724-\$ or US-7051185-\$ or US-7035906-\$ or US-7100124-\$ or US-7024449-\$ or US-6269467-\$ or US-5838907-\$ or US-4450557-\$ or US-5633934-\$ or US-6687710-\$ or US-6816938-\$ or US-7180887-\$).did. or (US-5649224-\$ or US-5410717-\$ or US-6138183-\$ or US-6747689-\$ or US-6505338-\$ or US-4552426-\$ or US-5509123-\$ or US-6009274-\$ or US-6539510-\$ or US-6085317-\$ or US-5748912-\$ or US-6219785-\$ or US-5537295-\$ or US-4268908-\$ or US-5671355-\$ or US-5535368-\$ or US-5918194-\$ or US-5521833-\$).did.	US-PGPUB; USPAT	OR	ON	2008/09/29 18:09
S201	27	(configur\$ with socket) same network and (@ad<"20020207" or @rlad<"20020207") and @pd>"20071123"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/29 18:09
S206	1896	(two dual multiple) with (flash fpga) same (programmabl\$6) and (@ad<"20020207" or @rlad<"20020207")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/29 18:10
S205	24454	(two dual multiple) with (flash fpga) and (@ad<"20020207" or @rlad<"20020207")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/29 18:10

S204	44981	(two dual multiple) with (flash fpga)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/29 18:10
S209	309	(two dual multiple) with (flash fpga) same (programmabl\$6 reprogrammabl\$6) with config \$9 and (@ad<"20020207" or @rlad<"20020207")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/29 18:11
S208	558	(two dual multiple) with (flash fpga) same (programmabl\$6 reprogrammabl\$6) same config\$9 and (@ad<"20020207" or @rlad<"20020207")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/29 18:11
S207	1922	(two dual multiple) with (flash fpga) same (programmabl\$6 reprogrammabl\$6) and (@ad<"20020207" or @rlad<"20020207")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/29 18:11
S210	4095	717/168-178.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/29 18:12
S213	64	S204 and S211	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/29 18:13
S212	1	S208 and S211	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/29 18:13
S211	1920	717/168-178.ccls. and (@ad<"20020207" or @rlad<"20020207")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/29 18:13
S214	28	((reconfigur\$ re-configur\$) with socket) same interfac\$ and ((plurality multiple several) with interfac\$)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/29 18:14
S215	207	717/176.ccls. and (@ad<"20020207" or @rlad<"20020207")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/29 18:15

img

S217	6	717/176.ccls. and (@ad<"20020207" or @rlad<"20020207") and (flash fpga) and (default with config\$9)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/29 18:16
S216	56	717/176.ccls. and (@ad<"20020207" or @rlad<"20020207") and (flash fpga)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/29 18:16
S218	25	717/176.ccls. and (@ad<"20020207" or @rlad<"20020207") and (flash fpga) and (download\$4 same install\$6)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/29 18:18
S220	5	S219 and "717".clas.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2008/09/29 18:20
S219	53	(US-20020056143-\$ or US- 20020013833-\$ or US- 20060069760-\$ or US- 20060177226-\$ or US- 20020144045-\$ or US- 20030028408-\$ or US- 20020016706-\$ or US- 20020129181-\$).did. or (US- 5819042-\$ or US-5379382-\$ or US-6457125-\$ or US- 6151679-\$ or US-5655148-\$ or US-6096091-\$ or US- 6854009-\$ or US-6094679-\$ or US-6965929-\$ or US- 6965928-\$ or US-6961762-\$ or US-6931440-\$ or US- 6901580-\$ or US-7051087-\$ or US-7039724-\$ or US- 7051185-\$ or US-7035906-\$ or US-7100124-\$ or US- 7024449-\$ or US-6269467-\$ or US-5838907-\$ or US- 4450557-\$ or US-5633934-\$ or US-6687710-\$ or US- 6816938-\$ or US-7180887-\$). did. or (US-5649224-\$ or US- 5410717-\$ or US-6138183-\$ or US-6747689-\$ or US- 6505338-\$ or US-4552426-\$ or US-5509123-\$ or US- 6009274-\$ or US-6539510-\$ or US-6085317-\$ or US- 5748912-\$ or US-6219785-\$ or US-5537295-\$ or US- 4268908-\$ or US-5671355-\$ or US-5535368-\$ or US- 5918194-\$ or US-5521833-\$ or US-5960445-\$).did.	US-PGPUB; USPAT	OR	ON	2008/09/29 18:20

img	S222	26	S221 and (config\$ same network same hardware same download\$) and (@ad<"20020207" or @rlad<"20020207")	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2008/09/29 18:21
	S221	3378	709/220.ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2008/09/29 18:21
	S226	10	S210 and S221 and (@ad<"20020207" or @rlad<"20020207") and (flash fpga pld) same config \$9	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2008/09/29 18:22
	S225	25	S210 and S221 and (@ad<"20020207" or @rlad<"20020207") and (flash fpga pld)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2008/09/29 18:22
	S224	95	S210 and S221 and (@ad<"20020207" or @rlad<"20020207")	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2008/09/29 18:22
img	S223	143	S210 and S221	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2008/09/29 18:22
	S229	124	S228 not S223	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2008/09/29 18:26
	S228	267	(S221 S227) and S210	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2008/09/29 18:26
	S227	1477	709/221.ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	OFF	2008/09/29 18:26
	S232	559	(flash fpga pld) same (checksum) and (@ad<"20020207" or @rlad<"20020207")	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2008/09/29 18:27
	S231	4183	(flash fpga pld) and (checksum) and (@ad<"20020207" or @rlad<"20020207")	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2008/09/29 18:27
	S230	12	S201 and (flash fpga)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/09/29 18:27
	S233	92	(flash fpga pld) same (config \$9) same (checksum) and (@ad<"20020207" or @rlad<"20020207")	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2008/09/29 18:28
	S234	12	S233 and config\$9.ti.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2008/09/29 18:35

S238	1	dual adj flash and (@ad<"20020207" or @rlad<"20020207") and "717".clas.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2008/09/29 18:42
S237	1	dual adj flash and (@ad<"20020207" or @rlad<"20020207") and "709".clas.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2008/09/29 18:42
S236	82	dual adj flash and (@ad<"20020207" or @rlad<"20020207")	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2008/09/29 18:42
S235	96	dual adj flash	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2008/09/29 18:42
S241	7	(configur\$ with socket) same network same (flash fpga pld) and (@ad<"20020207" or @rlad<"20020207")	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2008/09/29 18:44
S240	150	(configur\$ with socket) same network and (flash fpga pld) and (@ad<"20020207" or @rlad<"20020207")	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2008/09/29 18:44
S239	363	(configur\$ with socket) same network and (flash fpga pld)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2008/09/29 18:44
S242	9	(configur\$ with socket) same network and (flash fpga pld) and (@ad<"20020207" or @rlad<"20020207") and (709/220,221.ccls. 717/176. ccls.)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2008/09/29 18:46
S243	14	(hardware near3 configuration) same (flash fpga pld) and (@ad<"20020207" or @rlad<"20020207") and (709/220,221.ccls. 717/176. ccls.)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2008/09/29 18:47
S245	8	(configuration) with (flash fpga pld) and checksum and (@ad<"20020207" or @rlad<"20020207") and (709/220,221.ccls. 717/176. ccls.)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2008/09/29 18:48
S244	76	(configuration) with (flash fpga pld) and (@ad<"20020207" or @rlad<"20020207") and (709/220,221.ccls. 717/176. ccls.)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2008/09/29 18:48

S246	30	(configuration) with (flash fpga.pld) same network\$4 and (@ad<"20020207" or @rlad<"20020207") and (709/220,221.ccls. 717/176. ccls.)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2008/09/29 18:49
------	----	--	--	----	----	---------------------

9/ 29/ 08 7:17:05 PM

C:\Documents and Settings\mmeucci\My Documents\EAST\Workspaces\mdm conard-10071811.
wsp